

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Legislation:

2014/35/EU & amendments	Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage
2014/30/EU & amendments	Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility
2009/125/EC & amendments	Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.
2011/65/EU & amendments	Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
2019/2020/EU & amendments	Commission regulation (EU) 2019/2020 Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)

Product(s): See attached pages

Type Designation:

## Start Eco Spot Aluminium Recessed Product Range

The conformity of the designated products(s) with the provisions of the European Legislation is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN 60598-1:2015+A1:2018	Luminaires - Part 1: General requirements and tests.
EN 60598-2-2:2012	Luminaires' - Part 2.2: Particular requirements for recessed general purpose Luminaires'.
EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields.
EN 62471:2008	Photobiological safety of lamps and lamp systems.
EN 55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment.
EN 61000-3-2:2019+A1:2021	Electromagnetic compatibility (EMC) – limits for harmonic current emissions (equipment input current $\leq$ 16A per phase).
EN 61000-3-3:2013+A1:2019+A2:2021	Electromagnetic compatibility (EMC) – limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for equipment with rated $\leq$ 16A per phase and not subjected to conditional connection.
EN 61547:2009	Equipment for general lighting purposes – EMC immunity requirements.
EN 50581:2012	Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

CE first affixed: 2020  
Date of issue: 9/02/2023  
Place of issue: Tienen

TDF-NEW-20-505-Start Eco Spot Alu Recessed Refers

**Revision History:**

Revision	Date	Subject
A	31/03/20	EC DoC created from AEC TDF 20-505
B	26/08/21	NB auth to add different colour temperature
C	02/09/21	NB auth to add different colour temperature via GJ
D	26/10/21	AEC TDF 20-505 updated to VA, SKUs added
E	10/06/22	AEC TDF 20-505 updated to VB, SKUs added
F	09/02/23	AEC TDF 20-505 updated to VC, 0005250 added, EMC standards updated

Item	Description
0005070	SYLCORE 740LM 830 IP44 WHT
0005071	SYLCORE 800LM 840 IP44 WHT
0005072	SYLCORE 740LM 830 IP44 BRA
0005073	SYLCORE 800LM 840 IP44 BRA
0005074	SYLCORE 740LM 830 IP65 WHT
0005075	SYLCORE 800LM 840 IP65 WHT
0005076	SYLCORE 660LM 830 IP65 BRA
0005077	SYLCORE 760LM 840 IP65 BRA
0005078	SYLCORE REFL CHROME 6-PACK
0005079	SYLCORE REFL GOLD 6-PACK
0005090	SYLCORE 740LM 930 IP65 WHT
0005091	SYLCORE 720LM 827 IP44 DIM BLACK
0005092	SYLCORE 720LM 830 IP44 DIM BLACK
0005093	SYLCORE 720LM 840 IP44 DIM BLACK
0005170	START ECO SPOT ALU 740LM 830 IP44 WHT
0005171	START ECO SPOT ALU 800LM 840 IP44 WHT
0005172	START ECO SPOT ALU 740LM 830 IP44 BRA
0005173	START ECO SPOT ALU 800LM 840 IP44 BRA
0005174	START ECO SPOT ALU 740LM 830 IP65 WHT
0005175	START ECO SPOT ALU 800LM 840 IP65 WHT
0005176	START ECO SPOT ALU 660LM 830 IP65 BRA
0005177	START ECO SPOT ALU 760LM 840 IP65 BRA
0005178	START ECO SPOT ALU REFL CHROME 6-PACK
0005179	START ECO SPOT ALU REFL GOLD 6-PACK
0005180	START SPOT ALUMINIUM 720LM 827 IP44 BLK
0005181	START SPOT ALUMINIUM 720LM 830 IP44 BLK
0005182	START SPOT ALUMINIUM 760LM 840 IP44 BLK
0005183	START SPOT ALUMINIUM 740LM 827 IP44 WHT
0005250	START SPOT ALU 930 IP44 WHT (0005170VR)
00050779	SYLCORE 740LM 927 IP65 WHT