



Flexible solution, easy replacement

Giotto

With its simple yet robust design, Giotto is a customer favourite as a reliable and easy to install LED bulkhead. Giotto is available in 3 different body sizes: 235mm, 305mm and 335mm.

Giotto can be used in many different indoor and outdoor applications. The product range includes a microwave function option which serves as a presence detector, providing more lighting control to users.

The programming and control of Giotto Microwave is simple and brings in additional benefits such as easy installation and energy savings.

Giotto Microwave is available in 305mm and 335mm sizes and can be used with multiple 'slave' fittings controlled by one 'master' fitting.

Giotto 235



Features

- 235mm body size
- Surface and recessed mounted versions
- High lumen output: up to 1150lm
- High lumen efficacy: up to 114lm/W
- Available in Warm White (3000K) and Neutral White (4000K) colour temperatures
- Choice of either Non dimmable, DALI or 1-10V versions

Product information

Code	Description	Finish	Fixture Power (W)	Luminous Flux (lm)	Efficacy (lm/W)	Colour Temp (K)	CRI	Dimmable	Control Technology	Lifespan L70:B50 (Hrs)
Giotto 235 - Recessed										
3000K										
3034751	Giotto 235 Recessed 3000K	White	10.1	1075	106	3000	80	No	-	120,000
3034755	Giotto 235 Recessed 3000K 1-10V	White	10.1	1075	106	3000	80	Yes	1-10V	120,000
3034759	Giotto 235 Recessed 3000K DALI	White	10.1	1075	106	3000	80	Yes	DALI	120,000
4000K										
3034750	Giotto 235 Recessed 4000K	White	10.1	1150	114	4000	80	No	-	120,000
3034754	Giotto 235 Recessed 4000K 1-10V	White	10.1	1150	114	4000	80	Yes	1-10V	120,000
3034758	Giotto 235 Recessed 4000K DALI	White	10.1	1150	114	4000	80	Yes	DALI	120,000
Giotto 235 - Surface										
3000K										
3034753	Giotto 235 Surface 3000K	White	10.1	1075	106	3000	80	No	-	120,000
3034757	Giotto 235 Surface 3000K 1-10V	White	10.1	1075	106	3000	80	Yes	1-10V	120,000
3034761	Giotto 235 Surface 3000K DALI	White	10.1	1075	106	3000	80	Yes	DALI	120,000
4000K										
3034752	Giotto 235 Surface 4000K	White	10.1	1150	114	4000	80	No	-	120,000
3034756	Giotto 235 Surface 4000K 1-10V	White	10.1	1150	114	4000	80	Yes	1-10V	120,000
3034760	Giotto 235 Surface 4000K DALI	White	10.1	1150	114	4000	80	Yes	DALI	120,000

Additional Images




Giotto Recessed




Giotto Surface

Photometric Data




4000K Recessed




4000K Surface

Dimensions (mm)



Giotto 235 Recessed



Giotto 235 Surface

Giotto 305



Features

- 305mm body size
- Surface and recessed mounted versions
- High lumen output: up to 1750lm
- Available in Warm White (3000K) and Neutral White (4000K) colour temperatures
- High lumen efficacy: up to 109lm/W
- Choice of either Non-dimmable, DALI or 1-10V versions
- Microwave versions with master and slave configurations for remote on and off

Product information

Code	Description	Finish	Fixture Power (W)	Luminous Flux (lm)	Efficacy (lm/W)	Colour Temp (K)	CRI	Dimmable	Control Technology	Lifespan L70:B50 (Hrs)
Giotto 305 - Recessed										
3000K										
3034763	Giotto 305 Recessed 3000K	White	16.2	1625	101	3000	80	No	-	120,000
3034767	Giotto 305 Recessed 3000K 1-10V	White	16.5	1625	99	3000	80	Yes	1-10V	120,000
3034771	Giotto 305 Recessed 3000K DALI	White	16.5	1625	99	3000	80	Yes	DALI	120,000
3034779	Giotto 305 Recessed 3000K 1-10V MW	White	16.5	1625	99	3000	80	Yes	1-10V	120,000
3034775	Giotto 305 Recessed 3000K MW	White	16.5	1625	99	3000	80	No	Microwave	120,000
3034783	Giotto 305 Recessed 3000K EM3	White	18	1625	91	3000	80	No	-	120,000
3034787	Giotto 305 Recessed 3000K 1-10V EM3	White	18	1625	91	3000	80	Yes	1-10V	120,000
3034791	Giotto 305 Recessed 3000K DALI EM3	White	18	1625	91	3000	80	Yes	DALI	120,000
4000K										
3034762	Giotto 305 Recessed 4000K	White	16.2	1750	109	4000	80	No	-	120,000
3034766	Giotto 305 Recessed 4000K 1-10V	White	16.5	1750	107	4000	80	Yes	1-10V	120,000
3034770	Giotto 305 Recessed 4000K DALI	White	16.5	1750	107	4000	80	Yes	DALI	120,000
3034774	Giotto 305 Recessed 4000K MW	White	16.5	1750	107	4000	80	No	Microwave	120,000
3034778	Giotto 305 Recessed 4000K 1-10V MW	White	16.5	1750	107	4000	80	Yes	1-10V	120,000
3034782	Giotto 305 Recessed 4000K EM3	White	18	1750	98	4000	80	No	-	120,000
3034786	Giotto 305 Recessed 4000K 1-10V EM3	White	18	1750	98	4000	80	Yes	1-10V	120,000
3034790	Giotto 305 Recessed 4000K DALI EM3	White	18	1750	98	4000	80	Yes	DALI	120,000

Additional Images




Giotto Recessed




Giotto Surface

Photometric Data



4000K Recessed

Dimensions (mm)



Giotto 305 Recessed


Giotto 305



Product information


Code	Description	Finish	Fixture Power (W)	Luminous Flux (lm)	Efficacy (lm/W)	Colour Temp (K)	CRI	Dimmable	Control Technology	Lifespan L70:B50 (Hrs)
Giotto 305 - Surface										
3000K										
3034765	Giotto 305 Surface 3000K	White	16.2	1625	101	3000	80	No	-	120,000
3034769	Giotto 305 Surface 3000K 1-10V	White	16.5	1625	99	3000	80	Yes	1-10V	120,000
3034773	Giotto 305 Surface 3000K DALI	White	16.5	1625	99	3000	80	Yes	DALI	120,000
3034777	Giotto 305 Surface 3000K MW	White	16.5	1625	99	3000	80	No	Microwave	120,000
3034781	Giotto 305 Surface 3000K 1-10V MW	White	16.5	1625	99	3000	80	Yes	1-10V	120,000
3034785	Giotto 305 Surface 3000K EM3	White	18	1625	91	3000	80	No	-	120,000
3034789	Giotto 305 Surface 3000K 1-10V EM3	White	18	1625	91	3000	80	Yes	1-10V	120,000
3034793	Giotto 305 Surface 3000K DALI EM3	White	18	1625	91	3000	80	Yes	DALI	120,000
4000K										
3034764	Giotto 305 Surface 4000K	White	16.2	1750	109	4000	80	No	-	120,000
3034768	Giotto 305 Surface 4000K 1-10V	White	16.5	1750	107	4000	80	Yes	1-10V	120,000
3034772	Giotto 305 Surface 4000K DALI	White	16.5	1750	107	4000	80	Yes	DALI	120,000
3034776	Giotto 305 Surface 4000K MW	White	16.5	1750	107	4000	80	No	Microwave	120,000
3034780	Giotto 305 Surface 4000K 1-10V MW	White	16.5	1750	107	4000	80	Yes	1-10V	120,000
3034784	Giotto 305 Surface 4000K EM3	White	18	1750	98	4000	80	No	-	120,000
3034788	Giotto 305 Surface 4000K 1-10V EM3	White	18	1750	98	4000	80	Yes	1-10V	120,000
3034792	Giotto 305 Surface 4000K DALI EM3	White	18	1750	98	4000	80	Yes	DALI	120,000

Photometric Data



4000K Surface

Dimensions (mm)



Giotto 305 Surface

Giotto 335



Features

- 335mm body size
- Surface and recessed mounted versions
- High lumen output: up to 2350lm
- Available in Warm White (3000K) and Neutral White (4000K) colour temperatures
- High lumen efficacy: up to 116lm/W
- Choice of either Non-dimmable, DALI, 1-10V and SylSmart® Connected driver (SSA01D) versions
- Microwave versions with master and slave configurations for remote on and off

Product information

Code	Description	Finish	Fixture Power (W)	Luminous Flux (lm)	Efficacy (lm/W)	Colour Temp (K)	CRI	Dimmable	Control Technology	Lifespan L70:B50 (Hrs)
Giotto 335 - Recessed										
3000K										
3034795	Giotto 335 Recessed 3000K	White	20.3	2225	110	3000	80	No	-	120,000
3034803	Giotto 335 Recessed 3000K DALI	White	20.3	2225	110	3000	80	Yes	DALI	120,000
3034807	Giotto 335 Recessed 3000K MW	White	20.3	2225	110	3000	80	No	Microwave	120,000
3034799	Giotto 335 Recessed 3000K 1-10V	White	20.3	2225	110	3000	80	Yes	1-10V	120,000
3034811	Giotto 335 Recessed 3000K 1-10V MW	White	20.3	2225	110	3000	80	Yes	1-10V	120,000
3034819	Giotto 335 Recessed 3000K 1-10V EM3	White	21.6	2225	104	3000	80	Yes	1-10V	120,000
3034815	Giotto 335 Recessed 3000K EM3	White	21.6	2225	104	3000	80	No	-	120,000
3034823	Giotto 335 Recessed 3000K DALI EM3	White	21.6	2225	104	3000	80	Yes	DALI	120,000
4000K										
3034794	Giotto 335 Recessed 4000K	White	20.3	2350	116	4000	80	No	-	120,000
3034802	Giotto 335 Recessed 4000K DALI	White	20.3	2350	116	4000	80	Yes	DALI	120,000
3034806	Giotto 335 Recessed 4000K MW	White	20.3	2350	116	4000	80	No	Microwave	120,000
3034798	Giotto 335 Recessed 4000K 1-10V	White	20.3	2350	116	4000	80	Yes	1-10V	120,000
3034810	Giotto 335 Recessed 4000K 1-10V MW	White	20.3	2350	116	4000	80	Yes	1-10V	120,000
3034818	Giotto 335 Recessed 4000K 1-10V EM3	White	21.6	2350	109	4000	80	Yes	1-10V	120,000
3034814	Giotto 335 Recessed 4000K EM3	White	21.6	2350	109	4000	80	No	-	120,000
3034822	Giotto 335 Recessed 4000K DALI EM3	White	21.6	2350	109	4000	80	Yes	DALI	120,000

Additional Images




Giotto Recessed




Giotto Surface

Photometric Data



4000K Recessed

Dimensions (mm)



Giotto 335 Recessed


Giotto 335



Product information


Code	Description	Finish	Fixture Power (W)	Luminous Flux (lm)	Efficacy (lm/W)	Colour Temp (K)	CRI	Dimmable	Control Technology	Lifespan L70:B50 (Hrs)
Giotto 335 - Surface										
3000K										
3034797	Giotto 335 Surface 3000K	White	20.3	2225	110	3000	80	No	-	120,000
3034805	Giotto 335 Surface 3000K DALI	White	20.3	2225	110	3000	80	Yes	DALI	120,000
3034809	Giotto 335 Surface 3000K MW	White	20.3	2225	110	3000	80	No	Microwave	120,000
3034801	Giotto 335 Surface 3000K 1-10V	White	20.3	2225	110	3000	80	Yes	1-10V	120,000
3034813	Giotto 335 Surface 3000K 1-10V MW	White	20.3	2225	110	3000	80	Yes	1-10V	120,000
3098883	Giotto 335 Surface 3000K SSA01D	White	20.3	2225	110	3000	80	Yes	SylSmart® Connected	120,000
3034821	Giotto 335 Surface 3000K 1-10V E3	White	21.6	2225	104	3000	80	Yes	1-10V	120,000
3034817	Giotto 335 Surface 3000K E3	White	21.6	2225	104	3000	80	No	-	120,000
3034825	Giotto 335 Surface 3000K DALI E3	White	21.6	2225	104	3000	80	Yes	DALI	120,000
3098882	Giotto 335 Surface 3000K SSA01D EM3	White	21.6	2225	104	3000	80	Yes	SylSmart® Connected	120,000
4000K										
3034796	Giotto 335 Surface 4000K	White	20.3	2350	116	4000	80	No	-	120,000
3034804	Giotto 335 Surface 4000K DALI	White	20.3	2350	116	4000	80	Yes	DALI	120,000
3034808	Giotto 335 Surface 4000K MW	White	20.3	2350	116	4000	80	No	Microwave	120,000
3034800	Giotto 335 Surface 4000K 1-10V	White	20.3	2350	116	4000	80	Yes	1-10V	120,000
3034812	Giotto 335 Surface 4000K 1-10V MW	White	20.3	2350	116	4000	80	Yes	1-10V	120,000
3098790	Giotto 335 Surface 4000K SSA01D	White	20.3	2350	116	4000	80	Yes	SylSmart® Connected	120,000
3034820	Giotto 335 Surface 4000K 1-10V EM3	White	21.6	2350	109	4000	80	Yes	1-10V	120,000
3034816	Giotto 335 Surface 4000K EM3	White	21.6	2350	109	4000	80	No	-	120,000
3034824	Giotto 335 Surface 4000K DALI EM3	White	21.6	2350	109	4000	80	Yes	DALI	120,000
3098789	Giotto 335 Surface 4000K SSA01D QBM EM3 LifePo	White	21.6	2350	109	4000	80	Yes	SylSmart® Connected	120,000

Photometric Data



4000K Surface

Dimensions (mm)



Giotto 335 Surface





Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group.

Copyright Feilo Sylvania International Group. April 2026

sylvania-group.com

A Feilo Sylvania Company