

SYLVANIA



Classic Innovation

ToLEDo™ Retro

Sylvania's ToLEDo Retro range has been designed to achieve a similar look and feel as incandescent lamps, with omni-directional light and a linear LED filament construction to provide great looks on and off, delivering excellent lumen efficacy and up to 90% energy savings.





The classic look with the latest technology



Filament Chip Technology (FCT)

Combination of high performance LED chip, linear LED filament construction and premium gas-fill delivers best-in-class LED product with similar look and lighting distribution as incandescent lamp and up to 90% energy savings.

sylvania-lighting.com

90%



Energy saving
Retro range



Equivalences

ToLEDo Retro	250lm 2.5W	470lm 4.5W	640lm 6W	806lm 7W	1055lm 8W	1531lm 11W
Incandescent	25W	40W	50W	60W	75W	100W
Halogen	18W	28W	35W	42W	53W	70W
CFL	7W	9W	11W	15W	20W	25W

Reduces CO₂ emission


Payback in less than One Year as ToLEDo Retro reduces electricity consumption by up to 90% compared to incandescent or halogen energy savers.

Features


- Omni-directional light distribution
- Similar look and construction as incandescent lamps
- Excellent heat dissipation compared to SMD or COB LED lamps
- Best-in-class lumen efficacy
- Sparkling light effect
- Up to 90% energy savings – Higher than standard LED lamps and compact fluorescent lamps



7W
ToLEDo Retro



42W
Halogen
Classic ECO



60W
Incandescent



ToLEDo™ Retro ST64



Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 115 lm/W
- Suitable for replacement of up to 60W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 88% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers


Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Bulb Finish	Life (h)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro ST64 Golden Dimmable													
0029306	ToLEDo RT ST64 V5 GL DIM 560lm 825 B22 SL	220-240	6	560	93	2500	B22	Golden	45	15,000	Y	F	6
0029307	ToLEDo RT ST64 V5 GL DIM 560lm 825 E27 SL	220-240	6	560	93	2500	E27	Golden	45	15,000	Y	F	6
ToLEDo™ Retro ST64 Clear Dimmable													
0029308	ToLEDo RT ST64 V5 CL DIM 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	Y	E	6
0029309	ToLEDo RT ST64 V5 CL DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	Y	E	6
ToLEDo™ Retro ST64 Golden Non-Dimmable													
0029310	ToLEDo RT ST64 V5 GL 420lm 825 E27 SL	220-240	4.5	420	93	2500	E27	Golden	37	15,000	N	F	6
ToLEDo™ Retro ST64 Clear Non-Dimmable													
0029311	ToLEDo RT ST64 V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

Dimensions (mm)

Lamps	Dimensions (mm)	Dimensions (mm)	
		E27	B22
ST64	H	140	138
	∅	64	64



Images




ST64 Clear



ST64 Golden

ToLEDo™ Retro GLS



Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 138 lm/W
- Suitable for replacement of up to 100W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 89% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro GLS Clear Dimmable													
0029312	ToLEDo RT GLS V5 CL DIM 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	Y	E	6
0029313	ToLEDo RT GLS V5 CL DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	Y	E	6
0029314	ToLEDo RT GLS V5 CL DIM 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Clear	100	15,000	Y	D	6
0029315	ToLEDo RT GLS V5 CL DIM 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	Y	D	6
ToLEDo™ Retro GLS Satin Dimmable													
0029316	ToLEDo RT GLS V5 ST DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Satin	60	15,000	Y	E	6
0029317	ToLEDo RT GLS V5 ST DIM 1055lm 827 E27 SL	220-240	9	1055	117	2700	E27	Satin	75	15,000	Y	E	6
0029318	ToLEDo RT GLS V5 ST DIM 1055lm 840 E27 SL	220-240	9	1055	117	4000	E27	Satin	75	15,000	Y	E	6
0029319	ToLEDo RT GLS V5 ST DIM 1055lm 865 E27 SL	220-240	9	1055	117	6500	E27	Satin	75	15,000	Y	E	6
0029320	ToLEDo RT GLS V5 ST DIM 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Satin	100	15,000	Y	D	6
0029321	ToLEDo RT GLS V5 ST DIM 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Satin	100	15,000	Y	D	6
ToLEDo™ Retro GLS Clear Non-Dimmable													
0029322	ToLEDo RT GLS V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029323	ToLEDo RT GLS V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029547	ToLEDo RT GLS CL 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Clear	40	12,000	N	F	6
0029324	ToLEDo RT GLS V5 CL 470lm 840 E27 SL	220-240	4.5	470	104	4000	E27	Clear	40	15,000	N	F	6
0029325	ToLEDo RT GLS V5 CL 640lm 827 E27 SL	220-240	6	640	107	2700	E27	Clear	50	15,000	N	F	6
0029326	ToLEDo RT GLS V5 CL 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	N	E	6
0029548	ToLEDo RT GLS CL 806lm 827 B22 SL4	220-240	7	806	115	2700	B22	Clear	60	12,000	N	E	6
0029327	ToLEDo RT GLS V5 CL 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	N	E	6
0029549	ToLEDo RT GLS CL 806lm 827 E27 SL4	220-240	7	806	115	2700	E27	Clear	60	12,000	N	E	6
0029328	ToLEDo RT GLS V5 CL 806lm 827 E27 SL3	220-240	7	806	115	2700	E27	Clear	60	15,000	N	E	6
0029329	ToLEDo RT GLS V5 CL 806lm 840 E27 SL	220-240	7	806	115	4000	E27	Clear	60	15,000	N	E	6
0029330	ToLEDo RT GLS V5 CL 1055lm 827 B22 SL	220-240	8	1055	132	2700	B22	Clear	75	15,000	N	E	6
0029331	ToLEDo RT GLS V5 CL 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Clear	75	15,000	N	E	6
0029332	ToLEDo RT GLS V5 CL 1055lm 840 E27 SL	220-240	8	1055	132	4000	E27	Clear	75	15,000	N	E	6
0029333	ToLEDo RT GLS V5 CL 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	N	D	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro GLS



Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro GLS Satin Non-Dimmable													
0029334	ToLEDo RT GLS V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029335	ToLEDo RT GLS V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
ToLEDo™ Retro GLS Satin Non-Dimmable													
0029336	ToLEDo RT GLS V5 ST 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Satin	60	15,000	N	E	6
0029337	ToLEDo RT GLS V5 ST 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Satin	60	15,000	N	E	6
0029338	ToLEDo RT GLS V5 ST 1055lm 827 B22 SL	220-240	8	1055	132	2700	B22	Satin	75	15,000	N	E	6
0029339	ToLEDo RT GLS V5 ST 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Satin	75	15,000	N	E	6
0029340	ToLEDo RT GLS V5 ST 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Satin	100	15,000	N	D	6
0029341	ToLEDo RT GLS V5 ST 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Satin	100	15,000	N	D	6
ToLEDo™ Retro GLS Crown Silver Non-Dimmable													
0029342	ToLEDo RT GLS V5 CS 400lm 827 E27 SL	220-240	4.5	400	89	2700	E27	Crown Silver	35	15,000	N	F	6

Images



Dimensions (mm)

Lamps	Dimensions (mm)	E27	B22
		H	108
GLS 470lm/806lm/1055lm	ø	60	60
	H	126	124
GLS 1521lm	ø	70	70



ToLEDo™ Retro Candle/Pygmy/T25



Features

- The versatile ToLEDo Retro Candle range is the ideal replacement for incandescent lamps and perfect for chandeliers and decorative applications
- Creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- Suitable for replacement of up to 60W incandescent candle lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 90% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- T25 is the ideal replacement for incandescent cooker hood lamps
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Candle Clear Dimmable													
0029343	ToLEDo RT Candle V5 CL DIM 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	Y	F	6
0029344	ToLEDo RT Candle V5 CL DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	Y	F	6
0029366	ToLEDo RT Candle V5 CL DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	Y	F	6
ToLEDo™ Retro Candle Satin Dimmable													
0029367	ToLEDo RT Candle V5 ST DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	Y	F	6
0029368	ToLEDo RT Candle V5 ST DIM 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Satin	40	15,000	Y	F	6
0029369	ToLEDo RT Candle V5 ST DIM 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Satin	40	15,000	Y	F	6
ToLEDo™ Retro Candle Clear Non-Dimmable													
0029370	ToLEDo RT Candle V5 CL 250lm 827 B22 SL	220-240	2.5	250	100	2700	B22	Clear	25	15,000	N	F	6
0029371	ToLEDo RT Candle V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029372	ToLEDo RT Candle V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029550	ToLEDo RT Candle CL 470lm 827 B22 SL4	220-240	4.5	470	104	2700	B22	Clear	40	12,000	N	F	6
0029373	ToLEDo RT Candle V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
0029551	ToLEDo RT Candle CL 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Clear	40	12,000	N	F	6
0029374	ToLEDo RT Candle V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029375	ToLEDo RT Candle V5 CL 806lm 827 B22 SL	220-240	6	806	134	2700	B22	Clear	60	15,000	N	E	6
0029376	ToLEDo RT Candle V5 CL 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Clear	60	15,000	N	E	6
0029480	ToLEDo RT Candle V5 CL 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Clear	60	15,000	N	E	6
ToLEDo™ Retro Candle Satin Non-Dimmable													
0029481	ToLEDo RT Candle V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029482	ToLEDo RT Candle V5 ST 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	N	F	6
0029483	ToLEDo RT Candle V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
0029484	ToLEDo RT Candle V5 ST 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Satin	60	15,000	N	E	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro Candle/Pygmy/T25




Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Candle Bent-Tip Clear Non-Dimmable													
0029485	ToLEDo RT Candle BT V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
ToLEDo™ Retro Candle Golden Non-Dimmable													
0029488	ToLEDo RT Candle V5 GL 225lm 825 E14 SL	220-240	2.5	225	90	2500	E14	Golden	23	15,000	N	F	6
ToLEDo™ Retro Candle Twister Clear Non-Dimmable													
0029486	ToLEDo RT Candle TW V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029487	ToLEDo RT Candle TW V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
ToLEDo™ Retro T25 Non-Dimmable													
0029541	ToLEDo RT T25 V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029542	ToLEDo RT T25 V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
ToLEDo™ Retro Pygmy Non-Dimmable													
0029540	ToLEDo RT Pygmy V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6

Images



Dimensions (mm)

Lamps	Dimensions (mm)	E14	E27	B22
Candle Clear, Golden and Twister	H	97	93	93
	ø	35	35	35
Bent-Tip	H	123	-	-
	ø	35	-	-
T25	H	90	-	-
	ø	25	-	-
Pygmy	H	61	-	-
	ø	26	-	-



ToLEDo™ Retro Ball/Globe



Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 138 lm/W
- Suitable for replacement of up to 100W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 90% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Ball Clear Dimmable													
0029489	ToLEDo RT Ball V5 CL DIM 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	Y	F	6
0029490	ToLEDo RT Ball V5 CL DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	Y	F	6
0029491	ToLEDo RT Ball V5 CL DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	Y	F	6
ToLEDo™ Retro Ball Satin Dimmable													
0029492	ToLEDo RT Ball V5 ST DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	Y	F	6
0029493	ToLEDo RT Ball V5 ST DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	Y	F	6
0029494	ToLEDo RT Ball V5 ST DIM 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Satin	40	15,000	Y	F	6
0029495	ToLEDo RT Ball V5 ST DIM 470lm 840 E27 SL	220-240	4.5	470	104	4000	E27	Satin	40	15,000	Y	F	6
0029496	ToLEDo RT Ball V5 ST DIM 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Satin	40	15,000	Y	F	6
0029497	ToLEDo RT Ball V5 ST DIM 470lm 865 E27 SL	220-240	4.5	470	104	6500	E27	Satin	40	15,000	Y	F	6
ToLEDo™ Retro Ball Clear Non-Dimmable													
0029498	ToLEDo RT Ball V5 CL 250lm 827 B22 SL	220-240	2.5	250	100	2700	B22	Clear	25	15,000	N	F	6
0029499	ToLEDo RT Ball V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029500	ToLEDo RT Ball V5 CL 250lm 827 E27 SL	220-240	2.5	250	100	2700	E27	Clear	25	15,000	N	F	6
0029501	ToLEDo RT Ball V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029502	ToLEDo RT Ball V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
0029503	ToLEDo RT Ball CL 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Clear	40	12,000	N	F	6
0029503	ToLEDo RT Ball V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029502	ToLEDo RT Ball CL 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Clear	40	12,000	N	F	6
0029532	ToLEDo RT Ball V5 CL 806lm 827 B22 SL	220-240	6	806	134	2700	B22	Clear	60	15,000	N	E	6
0029533	ToLEDo RT Ball V5 CL 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Clear	60	15,000	N	E	6
0029534	ToLEDo RT Ball V5 CL 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Clear	60	15,000	N	E	6
ToLEDo™ Retro Ball Satin Non-Dimmable													
0029535	ToLEDo RT Ball V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029536	ToLEDo RT Ball V5 ST 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	N	F	6
0029537	ToLEDo RT Ball V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
0029538	ToLEDo RT Ball V5 ST 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Satin	60	15,000	N	E	6
0029539	ToLEDo RT Ball V5 ST 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Satin	60	15,000	N	E	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro Ball/Globe



Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro G80 Non-Dimmable													
0029543	ToLEDo RT G80 V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	45	15,000	N	F	6
0029544	ToLEDo RT G80 V5 CL 640lm 827 E27 SL	220-240	6	640	107	2700	E27	Clear	50	15,000	N	F	6
ToLEDo™ Retro G120 Non-Dimmable Clear													
0029545	ToLEDo RT G120 V5 CL 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Clear	75	15,000	N	E	6
0029546	ToLEDo RT G120 V5 CL 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	N	D	6

Images



Ball Clear


Ball Satin

Globe G80


Globe G120

Dimensions (mm)

Lamps	Dimensions (mm)	E14	E27	B22
Ball	H	80	78	76
	∅	45	45	45
Globe G80 mm	H	-	122	-
	∅	-	80	-
Globe G120 mm	H	-	178	-
	∅	-	125	-



Ball



Globe



SYLVANIA



CE UK
CA

in    

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft. Copyright Feilo Sylvania International Group Kft. June 2021.

sylvania-lighting.com

A Feilo Sylvania Company