

Features

- Compact and elegant design
- Wide range of lumen outputs, from 470lm to 2450lm
- Up to 87% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

Product information


Code	EAN Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo® GLS Non-Dimmable														
0030831	5410288308319	TLD GLS 470LM 827 B22 SL	220-240	4	470	118	2700	B22	Frosted	40	15,000	N	E	6
0030832	5410288295763	TLD GLS 470LM 827 E27 SL	220-240	4	470	118	2700	E27	Frosted	40	15,000	N	E	6
0030833	5410288295770	TLD GLS 470LM 840 E27 SL	220-240	4	470	118	4000	E27	Frosted	40	15,000	N	E	6
0030834	5410288295787	TLD GLS 470LM 865 E27 SL	220-240	4	470	118	6500	E27	Frosted	40	15,000	N	E	6
0030835	5410288295794	TLD GLS 806LM 827 B22 SL	220-240	7	806	115	2700	B22	Frosted	60	15,000	N	E	6
0030836	5410288296364	TLD GLS 806LM 827 B22 SL4	220-240	7	806	115	2700	B22	Frosted	60	12,000	N	E	6
0030837	5410288296494	TLD GLS 806LM 827 B22 SL10	220-240	7	806	115	2700	B22	Frosted	60	12,000	N	E	6
0030838	5410288295817	TLD GLS 806LM 827 E27 SL	220-240	7	806	115	2700	E27	Frosted	60	15,000	N	E	6
0030839	5410288296371	TLD GLS 806LM 827 E27 SL4	220-240	7	806	115	2700	E27	Frosted	60	12,000	N	E	6
0030840	5410288296500	TLD GLS 806LM 827 E27 SL10	220-240	7	806	115	2700	E27	Frosted	60	12,000	N	E	6
0030842	5410288295848	TLD GLS 806LM 840 B22 SL4	220-240	7	806	115	4000	E27	Frosted	60	12,000	N	E	6
0030843	5410288295855	TLD GLS 806LM 840 E27 SL	220-240	7	806	115	4000	E27	Frosted	60	15,000	N	E	6
0030844	5410288296395	TLD GLS 806LM 840 E27 SL4	220-240	7	806	115	4000	E27	Frosted	60	12,000	N	E	6
0030845	5410288296517	TLD GLS 806LM 840 E27 SL10	220-240	7	806	115	4000	E27	Frosted	60	12,000	N	E	6
0030847	5410288295879	TLD GLS 806LM 865 E27 SL	220-240	7	806	115	6500	E27	Frosted	60	15,000	N	E	6
0029588	5410288295886	ToLEDo GLS V7 1055LM 827 B22 SL	220-240	9.5	1055	117	2700	B22	Frosted	75	15,000	N	E	6
0029589	5410288295893	ToLEDo GLS V7 1055LM 827 E27 SL	220-240	9.5	1055	117	2700	E27	Frosted	75	15,000	N	E	6
0030991	5410288309910	ToLEDo GLS V7 1055LM 827 E27 SL4	220-240	9.5	1055	117	2700	E27	Frosted	75	12,000	N	E	6
0029590	5410288295909	ToLEDo GLS V7 1055LM 840 E27 SL	220-240	9.5	1055	117	4000	E27	Frosted	75	15,000	N	E	6
0030992	5410288309927	ToLEDo GLS V7 1055LM 840 E27 SL4	220-240	9.5	1055	117	4000	E27	Frosted	75	12,000	N	E	6
0029591	5410288295916	ToLEDo GLS V7 1055LM 865 E27 SL	220-240	9.5	1055	117	6500	E27	Frosted	75	15,000	N	E	6
0029640	5410288296401	ToLEDo GLS 1521LM 827 B22 SL4	220-240	13	1521	120	2700	B22	Frosted	100	12,000	N	E	6
0029593	5410288295930	ToLEDo GLS V7 1521LM 827 E27 SL	220-240	13	1521	120	2700	E27	Frosted	100	15,000	N	E	6
0029641	5410288296418	ToLEDo GLS 1521LM 827 E27 SL4	220-240	13	1521	120	2700	E27	Frosted	100	12,000	N	E	6
0029594	5410288295947	ToLEDo GLS V7 1521LM 840 E27 SL	220-240	13	1521	120	4000	E27	Frosted	100	15,000	N	E	6
0029595	5410288295954	ToLEDo GLS V7 1521LM 865 E27 SL	220-240	13	1521	120	6500	E27	Frosted	100	15,000	N	E	6
0030041	5410288300412	TLD GLS V9 1920LM 827 E27 SL	220-240	16	1920	120	2700	E27	Frosted	121	15,000	N	E	6
0030042	5410288300429	TLD GLS V9 1920LM 840 E27 SL	220-240	16	1920	120	4000	E27	Frosted	121	15,000	N	E	6
0030043	5410288300436	TLD GLS V9 1920LM 865 E27 SL	220-240	16	1920	120	6500	E27	Frosted	126	15,000	N	E	6
0030044	5410288300443	TLD GLS V9 2450LM 827 E27 SL	220-240	20	2450	123	2700	E27	Frosted	150	15,000	N	E	6
0030045	5410288300450	TLD GLS V9 2450LM 840 E27 SL	220-240	20	2450	123	4000	E27	Frosted	150	15,000	N	E	6
0030046	5410288300467	TLD GLS V9 2450LM 865 E27 SL	220-240	20	2450	123	6500	E27	Frosted	155	15,000	N	E	6

Images



Dimensions (mm)

GLS 470lm/806lm	E27	B22
H	107	105
W	60	60
GLS 1055lm	E27	B22
H	109	107
W	60	60
GLS 1521lm	E27	B22
H	120	118
W	60	60
GLS 1920lm/2450lm	E27	
H	128	
W	68	



Features


- Compact and elegant design
- Up to 86% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K and 4000K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

Product information

Code	EAN Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo® Globe Non-Dimmable														
0026902	5410288269023	ToLEDo G120 2450lm 827 E27 SL	220-240	20	2450	123	2700	E27	Frosted	150	15,000	N	E	6
0026903	5410288269030	ToLEDo G120 2450lm 840 E27 SL	220-240	20	2450	123	4000	E27	Frosted	150	15,000	N	E	6

Dimensions (mm)

G120	E27
H	175
W	120



Images



ToLEDo G120
20W



Features


- Elegant and compact design
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)

Product information

Code	EAN Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo® Ball Non-Dimmable														
0030861	5410288296180	TLD BALL 250LM 827 E14 SL	220-240	2.2	250	114	2700	E14	Frosted	25	15,000	N	E	6
0030862	5410288296197	TLD BALL 250LM 827 E27 SL	220-240	2.2	250	114	2700	E27	Frosted	25	15,000	N	E	6
0030863	5410288296234	TLD BALL 470LM 827 E14 SL	220-240	4.2	470	112	2700	E14	Frosted	40	15,000	N	E	6
0030864	5410288296241	TLD BALL 470LM 827 E14 SL4	220-240	4.2	470	112	2700	E14	Frosted	40	12,000	N	E	6
0030865	5410288296470	TLD BALL 470LM 827 E27 SL	220-240	4.2	470	112	2700	E27	Frosted	40	15,000	N	E	6
0030866	5410288296487	TLD BALL 470LM 827 E27 SL4	220-240	4.2	470	112	2700	E27	Frosted	40	12,000	N	E	6
0030867	5410288296258	TLD BALL 470LM 840 E14 SL	220-240	4.2	470	112	4000	E14	Frosted	40	15,000	N	E	6
0030868	5410288296265	TLD BALL 470LM 840 E27 SL	220-240	4.2	470	112	4000	E27	Frosted	40	15,000	N	E	6
0030869	5410288296272	TLD BALL 470LM 865 E14 SL	220-240	4.2	470	112	6500	E14	Frosted	40	15,000	N	E	6
0030870	5410288296289	TLD BALL 470LM 865 E27 SL	220-240	4.2	470	112	6500	E27	Frosted	40	15,000	N	E	6
0029629	5410288296296	ToLEDo BALL V7 806LM 827 B22 SL	220-240	6.5	806	124	2700	B22	Frosted	60	15,000	N	E	6
0029630	5410288296302	ToLEDo BALL V7 806LM 827 E14 SL	220-240	6.5	806	124	2700	E14	Frosted	60	15,000	N	E	6
0029631	5410288296319	ToLEDo BALL V7 806LM 827 E27 SL	220-240	6.5	806	124	2700	E27	Frosted	60	15,000	N	E	6
0029632	5410288296326	ToLEDo BALL V7 806LM 840 E14 SL	220-240	6.5	806	124	4000	E14	Frosted	60	15,000	N	E	6
0029633	5410288296333	ToLEDo BALL V7 806LM 840 E27 SL	220-240	6.5	806	124	4000	E27	Frosted	60	15,000	N	E	6
0029634	5410288296340	ToLEDo BALL V7 806LM 865 E14 SL	220-240	6.5	806	124	6500	E14	Frosted	60	15,000	N	E	6
0029635	5410288296357	ToLEDo BALL V7 806LM 865 E27 SL	220-240	6.5	806	124	6500	E27	Frosted	60	15,000	N	E	6

Dimensions (mm)

250lm / 470lm / 806lm	E14	E27	B22
L	82	77	75
W	45	45	45



Images



Features


- Elegant and compact design.
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Bent tip shape resembles a candle's flame - providing a classic look

Product information

Code	EAN Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo® Candle Non-Dimmable														
0030881	5410288296036	TLD CANDLE 250LM 827 E14 SL	220-240	2.2	250	114	2700	E14	Frosted	25	15,000	N	E	6
0030882	5410288296043	TLD CANDLE 250LM 840 E14 SL	220-240	2.2	250	114	4000	E14	Frosted	25	15,000	N	E	6
0030883	5410288296050	TLD CANDLE 250LM 865 E14 SL	220-240	2.2	250	114	6500	E14	Frosted	25	15,000	N	E	6
0030884	5410288296074	TLD CANDLE 470LM 827 E14 SL	220-240	4.2	470	112	2700	E14	Frosted	40	15,000	N	E	6
0030885	5410288296449	TLD CANDLE 470LM 827 E14 SL4	220-240	4.2	470	112	2700	E14	Frosted	40	12,000	N	E	6
0030886	5410288296104	TLD CANDLE 470LM 840 E14 SL	220-240	4.2	470	112	4000	E14	Frosted	40	15,000	N	E	6
0030887	5410288296111	TLD CANDLE 470LM 865 E14 SL	220-240	4.2	470	112	6500	E14	Frosted	40	15,000	N	E	6
0029612	5410288296128	ToLEDo CANDLE V7 806LM 827 B22 SL	220-240	6.5	806	124	2700	B22	Frosted	60	15,000	N	E	6
0029613	5410288296135	ToLEDo CANDLE V7 806LM 827 E14 SL	220-240	6.5	806	124	2700	E14	Frosted	60	15,000	N	E	6
0029614	5410288296142	ToLEDo CANDLE V7 806LM 827 E27 SL	220-240	6.5	806	124	2700	E27	Frosted	60	15,000	N	E	6
0029615	5410288296159	ToLEDo CANDLE V7 806LM 840 E14 SL	220-240	6.5	806	124	4000	E14	Frosted	60	15,000	N	E	6
0029616	5410288295596	ToLEDo CANDLE V7 806LM 865 E14 SL	220-240	6.5	806	124	6500	E14	Frosted	60	15,000	N	E	6

Dimensions (mm)

Candle				
250lm / 470lm / 806lm	E14	E27	B22	
L	103	105	103	
W	35	35	35	



Images



E14

E27



Features

- Quick and easy replacement of 40W, 60W, 75W & 100W incandescent lamp
- 15,000H average rated life – last 15X longer than incandescent/halogen lamps
- Up to 80% energy savings compared to incandescent
- Last 50% longer and consume 45% less energy compared to CFL lamps
- Good lumen efficacy - up to 114lm/W
- Omni-directional light distribution
- Non-dimmable



Product information

Code	EAN Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo® Stick Non-Dimmable														
0029558	5410288295589	ToLEDo Stick V4 470lm 827 E27 SL	220-240	5	470	94	2700	E27	Frosted	40	15,000	N	F	10
0029559	5410288295596	ToLEDo Stick V4 500lm 840 E27 SL	220-240	5	500	100	4000	E27	Frosted	40	15,000	N	F	10
0029560	5410288295602	ToLEDo Stick V4 500lm 865 E27 SL	220-240	5	500	100	6500	E27	Frosted	40	15,000	N	F	10
0029561	5410288295619	ToLEDo Stick V4 810lm 827 E27 SL	220-240	8	810	101	2700	E27	Frosted	60	15,000	N	F	10
0029562	5410288295626	ToLEDo Stick V4 850lm 840 E27 SL	220-240	8	850	106	4000	E27	Frosted	60	15,000	N	F	10
0029563	5410288295633	ToLEDo Stick V4 850lm 865 E27 SL	220-240	8	850	106	6500	E27	Frosted	60	15,000	N	F	10
0029564	5410288295640	ToLEDo Stick V4 1055lm 827 E27 SL	220-240	10	1055	106	2700	E27	Frosted	75	15,000	N	F	10
0029565	5410288295657	ToLEDo Stick V4 1100lm 840 E27 SL	220-240	10	1100	110	4000	E27	Frosted	75	15,000	N	F	10
0029566	5410288295664	ToLEDo Stick V4 1100lm 865 E27 SL	220-240	10	1100	110	6500	E27	Frosted	75	15,000	N	F	10
0029567	5410288295671	ToLEDo Stick V4 1521lm 827 E27 SL	220-240	14	1521	109	2700	E27	Frosted	100	15,000	N	F	10
0029568	5410288295688	ToLEDo Stick V4 1600lm 840 E27 SL	220-240	14	1600	114	4000	E27	Frosted	100	15,000	N	F	10
0029569	5410288295695	ToLEDo Stick V4 1600lm 865 E27 SL	220-240	14	1600	114	6500	E27	Frosted	100	15,000	N	F	10

Dimensions (mm)

Lamps	H	Ø
5W & 8W	115	37.5
10W & 14W	137	45

